1	HOUSE BILL NO. 2129
2	AMENDMENT IN THE NATURE OF A SUBSTITUTE
3	(Proposed by the Senate Committee on Agriculture, Conservation and Natural Resources
4	on)
5	(Patron Prior to SubstituteDelegate Lopez)
6	A BILL to amend and reenact §§ 10.1-1186.01, 62.1-44.19:13, and 62.1-44.19:14 of the Code of Virginia,
7	relating to Chesapeake Bay Phase III Watershed Improvement Plan; nutrient removal; regulations.
8	Be it enacted by the General Assembly of Virginia:
9	1. That §§ 10.1-1186.01, 62.1-44.19:13, and 62.1-44.19:14 of the Code of Virginia are amended and
10	reenacted as follows:
11	§ 10.1-1186.01. Reimbursements to localities for upgrades to treatment works.
12	A. As used in this section, "Enhanced Nutrient Removal Certainty Program" or "ENRC Program"
13	means the same as that term is defined in § 62.1-44.19:13.
14	B. The General Assembly shall fund grants to finance the reasonable costs of design and
15	installation of nutrient removal technology at the publicly owned treatment works designated as significant
16	dischargers contained in subsection-E, F or as eligible nonsignificant dischargers as defined in § 10.1-
17	2117. Notwithstanding § 10.1-2128, at such time as When grant disbursements pursuant to this section
18	reach 200 percent of the appropriations provided for in Chapter 951 of the Acts of Assembly of 2005 and
19	Chapter 10 of the Acts of Assembly of 2006, Special Session I a sum sufficient to fund the completion of
20	the ENRC Program at all publicly owned treatment works, the House Committee on Agriculture,
21	Chesapeake and Natural Resources, the House Committee on Appropriations, the Senate Committee on
22	Agriculture, Conservation and Natural Resources, and the Senate Committee on Finance and
23	Appropriations shall review (i) the future funding needs to meet the purposes of the Water Quality
24	Improvement Act, (ii) the most recent annual needs estimate required by § 10.1-2134.1, and (iii) the
25	appropriate funding mechanism for such needs.

- B.-C. The disbursement of grants for the design and installation of nutrient removal technology at those publicly owned treatment works included in subsection-EF and eligible nonsignificant dischargers shall be made monthly based on a requisition submitted by the grant recipient in the form requested by the Department. Each requisition shall include written certification that the applicable local share of the cost of nutrient removal technology for that portion of the project covered by such requisition has been incurred or expended. Except as may otherwise be approved by the Department, disbursements shall not exceed 95 percent of the total grant amount until satisfactory completion of the project. The distribution of the grants shall be effected by one of the following methods:
- 1. In payments to be paid by the State Treasurer out of funds appropriated to the Water Quality Improvement Fund pursuant to § 10.1-2131;
- 2. Over a specified time through a contractual agreement entered into by the Treasury Board and approved by the Governor, on behalf of the Commonwealth, and the locality or public service authority undertaking the design and installation of nutrient removal technology, such payments to be paid by the State Treasurer out of funds appropriated to the Treasury Board; or
- 3. In payments to be paid by the State Treasurer upon request of the Director-of Environmental Quality out of proceeds from bonds issued by the Virginia Public Building Authority, in consultation with the Department-of Environmental Quality, pursuant to §§ 2.2-2261, 2.2-2263, and 2.2-2264, including the Commonwealth's share of the interest costs expended by the locality or regional authority for financing such project during the period from 50% 50 percent completion of construction to final completion of construction.
- C.D. The General Assembly-shall have has the sole authority to determine whether disbursement will shall be made pursuant to subdivision-BC 1,-B 2, or-B 3, or a combination thereof; provided that a disbursement shall-only be made pursuant to subdivision-BC 3 only upon a certification by the Department of Environmental Quality that project grant reimbursements for the fiscal year will exceed the available funds in the Water Quality Improvement Fund.
- D. E. Exclusive of any deposits made pursuant to § 10.1-2128, the grants awarded pursuant to this section shall include such appropriations as provided for in Chapter 951 of the Acts of Assembly of 2005;

act or any amendments thereto.

E.-F. The disbursement of grants to finance the costs of design and installation of nutrient removal technology, including eligible design and installation costs for implementation of the ENRC Program, at the following-89 listed publicly owned treatment works and other eligible nonsignificant dischargers shall be provided pursuant to the distribution methodology included in § 10.1-2131. However, in The notation "WIP3-N" or "WIP3-P" indicates that a facility is subject to additional requirements for total nitrogen or

60 total phosphorus, respectively, under the ENRC Program. In no case shall any publicly owned treatment

works receive a grant of less than 35% 35 percent of the costs of the design and installation of nutrient

removal technology.

61

**62** 

a	FACILITY NAME	OWNER
b	Shenandoah - Potomac River Basin	
c	ACSA-Fishersville STP	Augusta County Service Authority
d	Luray STP	Town of Luray
e	ACSA-Middle River Regional STP	Augusta County Service Authority
f	HRRSA-North River WWTF WIP3-P	Harrisonburg-Rockingham Regional
		Sewer Authority
g	ACSA-Stuarts Draft STP	Augusta County Service Authority
h	Waynesboro STP	City of Waynesboro
i	ACSA-Weyers Cave STP	Augusta County Service Authority
j	Berryville STP	Town of Berryville
k	Front Royal STP	Town of Front Royal
1	Mount Jackson STP	Town of Mount Jackson
m	New Market STP	Town of New Market
n	Shenandoah CoNorth Fork Regional	Shenandoah County
	WWTP	

# OFFERED FOR CONSIDERATION 2/16/2021 03:22:04 PM

О	Stoney Creek Sanitary District STP	Stoney Creek Sanitary District
p	Strasburg STP	Town of Strasburg
q	Woodstock STP	Town of Woodstock
r	FWSA-Opequon Water Reclamation	Frederick-Winchester Service
	Facility	Authority
s	FWSA-Parkins Mill WWTF	Frederick-Winchester Service
		Authority
t	Purcellville-Basham Simms WWTF	Town of Purcellville
u	LCSA-Broad Run WRF	Loudoun County Service Authority
v	Leesburg WPCF	Town of Leesburg
w	Round Hill WWTP	Town of Round Hill
X	PWCSA-H.L. Mooney WWTF	Prince William County Service
		Authority
y	Upper Occoquan Sewage Authority	Upper Occoquan Sewage Authority
	WWTP	
Z	FCW&SA-Vint Hill WWTF	Fauquier County Water and Sewer
		Authority
aa	Alexandria Sanitation Authority WWTP	Alexandria Sanitation Authority
ab	Arlington Co. WPCF	Arlington County
ac	Fairfax Co Noman-Cole Pollution	Fairfax County
	Control Facility	
ad	Stafford CoAquia WWTP	Stafford County
ae	Colonial Beach STP	Town of Colonial Beach
af	Dahlgren Sanitary District WWTP	King George County Service Authority
ag	Fairview Beach STP	King George County Service Authority
ah	Purkins Corner WWTP	King George County Service Authority

### **DRAFT**

### **OFFERED FOR CONSIDERATION**

2/16/2021 03:22:04 PM

ai District of Columbia - Blue Plains STP Loudoun County Service Authority

(Virginia portion) and Fairfax County contract for

capacity

aj Rappahannock River Basin

ak Culpeper WWTP Town of Culpeper

al Marshall WWTP Town of Marshall

am Mountain Run WWTP Culpeper County

an Orange STP Town of Orange

ao Rapidan STP Rapidan Service Authority

ap FCW&SA-Remington WWTP Fauquier County Water and Sewer

Authority

aq Warrenton STP Town of Warrenton

ar Wilderness Shores WWTP Rapidan Service Authority

as Spotsylvania Co.-FMC WWTF WIP3- Spotsylvania County

<u>N, WIP3-P</u>

at Fredericksburg WWTF City of Fredericksburg

au Stafford Co.-Little Falls Run WWTF Stafford County

av Spotsylvania Co.-Massaponax WWTF Spotsylvania County

WIP3-N, WIP3-P

aw Montross-Westmoreland WWTP Westmoreland County

ax Oakland Park STP King George County Service Authority

ay Tappahannock WWTP Town of Tappahannock

az Urbanna WWTP Hampton Roads Sanitation District

ba Warsaw STP Town of Warsaw

bb Reedville Sanitary District WWTP Reedville Sanitary District

bc Kilmarnock WWTP Town of Kilmarnock

### **DRAFT**

### **OFFERED FOR CONSIDERATION**

2/16/2021 03:22:04 PM

bd York River Basin

be Caroline Co. Regional STP Caroline County

bf Gordonsville STP Rapidan Service Authority

bg Ashland WWTP Hanover County

bh Doswell WWTP Hanover County

bi HRSD-York River STP WIP3-N Hampton Roads Sanitation District

bj Parham Landing WWTP New Kent County

bk Totopotomoy WWTP Hanover County

bl HRSD-West Point STP Hampton Roads Sanitation District

bm HRSD-Mathews Courthouse STP Hampton Roads Sanitation District

bn Spotsylvania Co.-Thornburg STP WIP3- Spotsylvania County

N, WIP3-P

bo James River Basin

bp Buena Vista STP City of Buena Vista

bq Clifton Forge STP Town of Clifton Forge

br Covington STP City of Covington

bs Lexington-Rockbridge Regional WQCF Maury Service Authority

bt Alleghany Co.-Low Moor STP Alleghany County

bu Alleghany Co.-Lower Jackson River Alleghany County

**WWTP** 

by Amherst-Rutledge Creek WWTP Town of Amherst

bw Lynchburg STP City of Lynchburg

bx RWSA-Moores Creek Regional STP Rivanna Water and Sewer Authority

by Crewe WWTP Town of Crewe

bz Farmville WWTP Town of Farmville

ca Chesterfield Co.-Falling Creek WWTP Chesterfield County

# OFFERED FOR CONSIDERATION

cb	Henrico Co. WWTP	Henrico County
cc	Hopewell Regional WWTF	City of Hopewell
cd	Chesterfield CoProctors Creek WWTP	Chesterfield County
ce	Richmond WWTP	City of Richmond
cf	South Central Wastewater Authority	South Central Wastewater Authority
	WWTF WIP3-N, WIP3-P	
cg	Chickahominy WWTP	New Kent County
ch	HRSD-Boat Harbor STP WIP3-N,	Hampton Roads Sanitation District
	WIP3-P	
ci	HRSD-James River STP WIP3-N,	Hampton Roads Sanitation District
	WIP3-P	
cj	HRSD-Williamsburg STP WIP3-N,	Hampton Roads Sanitation District
	WIP3-P	
ck	HRSD-Nansemond STP_WIP3-N,	Hampton Roads Sanitation District
	WIP3-P	
cl	HRSD-Army Base STP WIP3-N, WIP3-	Hampton Roads Sanitation District
	<u>P</u>	
cm	HRSD-Virginia Initiative Plant STP	Hampton Roads Sanitation District
	WIP3-N, WIP3-P	
cn	HRSD-Chesapeake/Elizabeth STP	Hampton Roads Sanitation District
	WIP3-N, WIP3-P	
co	Eastern Shore Basin	
ср	Cape Charles WWTP	Town of Cape Charles
cq	Onancock WWTP	Town of Onancock
cr	Tangier Island WWTP	Town of Tangier

F.-G. To the extent that any publicly owned treatment works receives less than the grant specified pursuant to § 10.1-2131, any year-end revenue surplus or unappropriated balances deposited in the Water Quality Improvement Fund, as required by § 10.1-2128, shall be prioritized in order to augment the funding of those projects for which grants have been prorated. Any additional reimbursements to these prorated projects shall not exceed the total reimbursement amount due pursuant to the formula established in subsection E of § 10.1-2131.

G. H. Notwithstanding the provisions of subsection B of § 10.1-2131, the Director—of the Department of Environmental Quality shall not be required to enter into a grant agreement with a facility designated as a significant discharger or eligible nonsignificant discharger if the Director determines that the use of nutrient credits in accordance with the Chesapeake Bay Watershed Nutrient Credit Exchange Program (§ 62.1-44.19:12 et seq.) would be significantly more cost-effective than the installation of nutrient controls for the facility in question.

## § 62.1-44.19:13. Definitions.

As used in this article, unless the context requires a different meaning:

"Annual mass load of total nitrogen" (expressed in pounds per year) means the daily total nitrogen concentration (expressed as mg/L to the nearest 0.01 mg/L) multiplied by the flow volume of effluent discharged during the 24-hour period (expressed as MGD to the nearest 0.01 MGD), multiplied by 8.34 and rounded to the nearest whole number to convert to pounds per day (lbs/day) units, then totaled for the calendar month to convert to pounds per month (lbs/mo) units, and then totaled for the calendar year to convert to pounds per year (lbs/yr) units.

"Annual mass load of total phosphorus" (expressed in pounds per year) means the daily total phosphorus concentration (expressed as mg/L to the nearest 0.01mg/L) multiplied by the flow volume of effluent discharged during the 24-hour period (expressed as MGD to the nearest 0.01 MGD) multiplied by 8.34 and rounded to the nearest whole number to convert to pounds per day (lbs/day) units, then totaled for the calendar month to convert to pounds per month (lbs/mo) units, and then totaled for the calendar year to convert to pounds per year (lbs/yr) units.

"Association" means the Virginia Nutrient Credit Exchange Association authorized by this article.

"Attenuation"	means	the	rate	at	which	nutrients	are	reduced	through	natural	processes	during
transport in water.												

"Best management practice," "practice," or "BMP" means a structural practice, nonstructural practice, or other management practice used to prevent or reduce nutrient loads associated with stormwater from reaching surface waters or the adverse effects thereof.

"Biological nutrient removal technology" means (i) technology that will achieve an annual average total nitrogen effluent concentration of eight milligrams per liter and an annual average total phosphorus effluent concentration of one milligram per liter, or (ii) equivalent reductions in loads of total nitrogen and total phosphorus through the recycle or reuse of wastewater as determined by the Department.

"Delivered total nitrogen load" means the discharged mass load of total nitrogen from a point source that is adjusted by the delivery factor for that point source.

"Delivered total phosphorus load" means the discharged mass load of total phosphorus from a point source that is adjusted by the delivery factor for that point source.

"Delivery factor" means an estimate of the number of pounds of total nitrogen or total phosphorus delivered to tidal waters for every pound discharged from a permitted facility, as determined by the specific geographic location of the permitted facility, to account for attenuation that occurs during riverine transport between the permitted facility and tidal waters. Delivery factors shall be calculated using the Chesapeake Bay Program watershed model.

"Department" means the Department of Environmental Quality.

"Enhanced Nutrient Removal Certainty Program" or "ENRC Program" means the Phase III

Watershed Implementation Plan Enhanced Nutrient Removal Certainty Program established pursuant to subsection G of § 62.1-44.19:14.

"Equivalent load" means 2,300 pounds per year of total nitrogen and 300 pounds per year of total phosphorus at a flow volume of 40,000 gallons per day; 5,700 pounds per year of total nitrogen and 760 pounds per year of total phosphorus at a flow volume of 100,000 gallons per day; and 28,500 pounds per year of total nitrogen and 3,800 pounds per year of total phosphorus at a flow volume of 500,000 gallons per day.

"Facility" means a point source discharging or proposing to discharge total nitrogen or total phosphorus to the Chesapeake Bay or its tributaries. This term does not include confined animal feeding operations, discharges of stormwater, return flows from irrigated agriculture, or vessels.

"General permit" means the general permit authorized by this article.

"MS4" means a municipal separate storm sewer system.

"Nutrient credit" or "credit" means a nutrient reduction that is certified pursuant to this article and expressed in pounds of phosphorus or nitrogen either (i) delivered to tidal waters when the credit is generated within the Chesapeake Bay Watershed or (ii) as otherwise specified when generated in the Southern Rivers watersheds. "Nutrient credit" does not include point source nitrogen credits or point source phosphorus credits as defined in this section.

"Nutrient credit-generating entity" means an entity that generates nonpoint source nutrient credits.

"Permitted facility" means a facility authorized by the general permit to discharge total nitrogen or total phosphorus. For the sole purpose of generating point source nitrogen credits or point source phosphorus credits, "permitted facility" shall also mean the Blue Plains wastewater treatment facility operated by the District of Columbia Water and Sewer Authority.

"Permittee" means a person authorized by the general permit to discharge total nitrogen or total phosphorus.

"Point source nitrogen credit" means the difference between (i) the waste load allocation for a permitted facility specified as an annual mass load of total nitrogen, and (ii) the monitored annual mass load of total nitrogen discharged by that facility, where clause (ii) is less than clause (i), and where the difference is adjusted by the applicable delivery factor and expressed as pounds per year of delivered total nitrogen load.

"Point source phosphorus credit" means the difference between (i) the waste load allocation for a permitted facility specified as an annual mass load of total phosphorus, and (ii) the monitored annual mass load of total phosphorus discharged by that facility, where clause (ii) is less than clause (i), and where the difference is adjusted by the applicable delivery factor and expressed as pounds per year of delivered total phosphorus load.

"State-of-the-art nutrient removal technology" means (i) technology that will achieve an annual average total nitrogen effluent concentration of three milligrams per liter and an annual average total phosphorus effluent concentration of 0.3 milligrams per liter, or (ii) equivalent load reductions in total nitrogen and total phosphorus through recycle or reuse of wastewater as determined by the Department.

"Tributaries" means those river basins listed in the Chesapeake Bay TMDL and includes the Potomac, Rappahannock, York, and James River Basins, and the Eastern Shore, which encompasses the creeks and rivers of the Eastern Shore of Virginia that are west of Route 13 and drain into the Chesapeake Bay.

"Waste load allocation" means (i) the water quality-based annual mass load of total nitrogen or annual mass load of total phosphorus allocated to individual facilities pursuant to the Water Quality Management Planning Regulation (9VAC25-720) or its successor, or permitted capacity in the case of nonsignificant dischargers; (ii) the water quality-based annual mass load of total nitrogen or annual mass load of total phosphorus acquired pursuant to § 62.1-44.19:15 for new or expanded facilities; or (iii) applicable total nitrogen or total phosphorus waste load allocations under the Chesapeake Bay total maximum daily loads (TMDLs) to restore or protect the water quality and beneficial uses of the Chesapeake Bay or its tidal tributaries.

## § 62.1-44.19:14. Watershed general permit for nutrients.

A. By January 1, 2006, or as soon thereafter as possible, the The Board shall issue a Watershed General Virginia Pollutant Discharge Elimination System Permit, hereafter referred to as the general permit, authorizing point source discharges of total nitrogen and total phosphorus to the waters of the Chesapeake Bay and its tributaries. Except as otherwise provided in this article, the general permit shall control in lieu of technology-based, water quality-based, and best professional judgment, interim or final effluent limitations for total nitrogen and total phosphorus in individual Virginia Pollutant Discharge Elimination System permits for facilities covered by the general permit where the effluent limitations for total nitrogen and total phosphorus in the individual permits are based upon standards, criteria, waste load allocations, policy, or guidance established to restore or protect the water quality and beneficial uses of the Chesapeake Bay or its tidal tributaries.

B. This section shall not be construed to limit or otherwise affect the Board's authority to establish and enforce more stringent water quality-based effluent limitations for total nitrogen or total phosphorus in individual permits where those limitations are necessary to protect local water quality. The exchange or acquisition of credits pursuant to this article shall not affect any requirement to comply with such local water quality-based limitations.

C. The general permit shall contain the following:

- 1. Waste load allocations for total nitrogen and total phosphorus for each permitted facility expressed as annual mass loads, including reduced waste load allocations where applicable under the ENRC Program. The allocations for each permitted facility shall reflect the applicable individual water quality-based total nitrogen and total phosphorus waste load allocations. An owner or operator of two or more facilities located in the same tributary may apply for and receive an aggregated waste load allocation for total nitrogen and an aggregated waste load allocation for total phosphorus for multiple facilities reflecting the total of the water quality-based total nitrogen and total phosphorus waste load allocations established for such facilities individually;
- 2. A schedule requiring compliance with the combined waste load allocations for each tributary as soon as possible taking into account (i) opportunities to minimize costs to the public or facility owners by phasing in the implementation of multiple projects; (ii) the availability of required services and skilled labor; (iii) the availability of funding from the Virginia Water Quality Improvement Fund as established in § 10.1-2128, the Virginia Water Facilities Revolving Fund as established in § 62.1-225, and other financing mechanisms; (iv) water quality conditions; and (v) other relevant factors. Following receipt of the compliance plans required by subdivision C 3, the Board shall reevaluate the schedule taking into account the information in the compliance plans and the factors in this subdivision, and may modify the schedule as appropriate;
- 3. A requirement that within nine months after the initial effective date of the general permit, the permittees shall either individually or through the Association submit compliance plans to the Department for approval. The compliance plans shall contain, at a minimum, any capital projects and implementation schedules needed to achieve total nitrogen and phosphorus reductions sufficient to comply with the

199

200

201

202

203

204

205

206

207

208

209

210

211

212

213

214

215

216

217

218

219

220

221

222

223

individual and combined waste load allocations of all the permittees in the tributary. The compliance plans may rely on the exchange of point source credits in accordance with this article, but not the acquisition of credits through payments authorized by § 62.1-44.19:18, to achieve compliance with the individual and combined waste load allocations in each tributary. The compliance plans shall be updated annually and submitted to the Department no later than February 1 of each year. The compliance plans due beginning February 1, 2023, shall address the requirements of the ENRC Program;

- 4. Such monitoring and reporting requirements as the Board deems necessary to carry out the provisions of this article;
- 5. A procedure that requires every owner or operator of a facility authorized by a Virginia Pollutant Discharge Elimination System permit to discharge 100,000 gallons or more per day, or an equivalent load, directly into tidal waters, or 500,000 gallons or more per day, or an equivalent load, directly into nontidal waters, to secure general permit coverage by filing a registration statement with the Department within a specified period after each effective date of the general permit. The procedure shall also require any owner or operator of a facility authorized by a Virginia Pollutant Discharge Elimination System permit to discharge 40,000 gallons or more per day, or an equivalent load, directly into tidal or nontidal waters to secure general permit coverage by filing a registration statement with the Department at the time he makes application with the Department for a new discharge or expansion that is subject to an offset or technologybased requirement in § 62.1-44.19:15, and thereafter within a specified period of time after each effective date of the general permit. The procedure shall also require any owner or operator of a facility with a discharge that is subject to an offset requirement in subdivision A 5 of § 62.1-44.19:15 to secure general permit coverage by filing a registration statement with the Department prior to commencing the discharge and thereafter within a specified period of time after each effective date of the general permit. The general permit shall provide that any facility authorized by a Virginia Pollutant Discharge Elimination System permit and not required by this subdivision to file a registration statement shall be deemed to be covered under the general permit at the time it is issued, and shall file a registration statement with the Department when required by this section. Owners or operators of facilities that are deemed to be permitted under this

section shall have no other obligation under the general permit prior to filing a registration statement and securing coverage under the general permit based upon such registration statement;

- 6. A procedure for efficiently modifying the lists of facilities covered by the general permit where the modification does not change or otherwise alter any waste load allocation or delivery factor adopted pursuant to the Water Quality Management Planning Regulation (9VAC25-720) or its successor, or an applicable total maximum daily load. The procedure shall also provide for modifying or incorporating new waste load allocations or delivery factors, including the opportunity for public notice and comment on such modifications or incorporations; and
- 7. Such other conditions as the Board deems necessary to carry out the provisions of this chapter and Section 402 of the federal Clean Water Act (33 U.S.C. § 1342).
- D. 1. The Board shall (i) review during the year 2020 and every 10 years thereafter the basis for allocations granted in the Water Quality Management Planning Regulation (9VAC25-720) and (ii) as a result of such decennial reviews propose for inclusion in the Water Quality Management Planning Regulation (9VAC25-720) either the reallocation of unneeded allocations to other facilities registered under the general permit or the reservation of such allocations for future use.
  - 2. For each decennial review, the Board shall determine whether a permitted facility has:
- a. Changed the use of the facility in such a way as to make discharges unnecessary, ceased the discharge of nutrients, and become unlikely to resume such discharges in the foreseeable future; or
- b. Changed the production processes employed in the facility in such a way as to render impossible, or significantly to diminish the likelihood of, the resumption of previous nutrient discharges.
- 3. Beginning in 2030, each review also shall consider the following factors for municipal wastewater facilities:
  - a. Substantial changes in the size or population of a service area;
- b. Significant changes in land use resulting from adopted changes to zoning ordinances or comprehensive plans within a service area;
  - c. Significant establishment of conservation easements or other perpetual instruments that are associated with a deed and that restrict growth or development;

251	d. Constructed treatment facility capacity;
252	e. Significant changes in the understanding of the water chemistry or biology of receiving waters
253	that would reasonably result in unused nutrient discharge allocations over an extended period of time;
254	f. Significant changes in treatment technologies that would reasonably result in unused nutrient
255	discharge allocations over an extended period of time;
256	g. The ability of the permitted facility to accommodate projected growth under existing nutrient
257	waste load allocations; and
258	h. Other similarly significant factors that the Board determines reasonably to affect the allocations
259	granted.
260	The Board shall not reduce allocations based solely on voluntary improvements in nutrient removal
261	technology.
262	E. The Board shall maintain and make available to the public a current listing, by tributary, of all
263	permittees and permitted facilities under the general permit, together with each permitted facility's total
264	nitrogen and total phosphorus waste load allocations, and total nitrogen and total phosphorus delivery
265	factors.
266	F. Except as otherwise provided in this article, in the event that there are conflicting or duplicative
267	conditions contained in the general permit and an individual Virginia Pollutant Discharge Elimination
268	System permit, the conditions in the general permit shall control.
269	G. The Board shall adopt amendments to the Water Quality Management Planning Regulation and
270	modifications to Virginia Pollutant Discharge Elimination System permits or registration lists to establish
271	and implement the Phase III Watershed Implementation Plan Enhanced Nutrient Removal Certainty
272	Program (ENRC Program) as provided in this subsection. The ENRC Program shall consist of the
273	following projects and the following waste load allocation reductions and their respective schedules for
274	compliance.
275	1. Priority projects for additional nitrogen and phosphorus removal (schedule for compliance):
	a <u>PROJECT NAME</u> <u>DESCRIPTION (COMPLIANCE</u>
	SCHEDULE)

b	HRSD-Chesapeake/Elizabeth STP	Consolidate into regional system and close
		treatment facility (1/1/2023)
c	HRSD-Boat Harbor WWTP	Convey by subaqueous crossing to
		Nansemond River WWTP for nutrient
		<u>removal (1/1/2026)</u>
d	HRSD-Nansemond River WWTP	Upgrade and expand with nutrient removal
		technology of 4.0 mg/L total nitrogen
		(1/1/2026) and 0.30 mg/L total phosphorus
		(1/1/2032)
e	HRSD-Nassawadox WWTP	Convey to regional system for nutrient
		<u>removal (1/1/2026)</u>
f	Spotsylvania CoFMC WWTF	Convey to Massaponax WWTF and close
		treatment facility (1/1/2026)
g	Spotsylvania CoMassaponax	Expand with nutrient removal technology
	WWTF	of 4.0 mg/L total nitrogen and 0.30 mg/L
		total phosphorus to consolidate and close
		FMC WWTF (1/1/2026)
h	Spotsylvania CoThornburg STP	<u>Upgrade</u> with nutrient removal technology
		of 4.0 mg/L total nitrogen and 0.30 mg/L
		total phosphorus (1/1/2026)
i	HRRSA-North River WWTP	Phosphorus removal tertiary filtration
		upgrade (1/1/2026)
j	South Central Wastewater Authority	<u>Upgrade</u> with nutrient removal technology
	WWTF	of 4.0 mg/L total nitrogen and 0.30 mg/L
		total phosphorus (1/1/2026)

278

279

280

281

282

283

284

285

286

287

288

289

k <u>HRSD-Williamsburg WWTP</u>

Upgrade with nutrient removal technol 276

	of 4.0 mg/L total nitrogen (1/1/2026) and				
	0.30 mg/L total phosphorus (1/1/2032)				
1 HRSD-VIP WWTP	Upgrade with nutrient removal technology				
	of 4.0 mg/L total nitrogen (1/1/2026) and				
	0.30 mg/L total phosphorus (1/1/2032)				
m HRSD-James River WWTP	Upgrade with nutrient removal technology				
	of 4.0 mg/L total nitrogen (1/1/2026) and				
	0.30 mg/L total phosphorus (1/1/2028)				
n HRSD-Army Base WWTP	Convey to VIP WWTP for nutrient removal				
	(1/1/2032) or upgrade with nutrient				
	removal technology of 4.0 mg/L total				
	nitrogen (1/1/2026) and 0.30 mg/L total				
	phosphorus (1/1/2032)				
Each priority project and the associated	d schedule of compliance shall be incorporated into the applicable				
Virginia Pollutant Discharge Elimination	on System permit or registration list. Each priority project facility				
shall be in compliance by complying w	vith applicable annual average total nitrogen and total phosphorus				
concentrations for compliance years 20	26, 2028, and 2032 or, only for a facility subject to an aggregated				
waste load allocation, by exercising the option of achieving an equivalent discharged load by the date set					
out in the schedule of compliance based on the applicable total nitrogen and total phosphorus annual					
average concentrations and actual ann	ual flow treated without the acquisition and use of point source				
credits generated by permitted facilities not under common ownership. Noncompliance shall be					
C 11 ' 4	- other and this of a Windia's Dellestant Dischar Dischar				

Reduce the total nitrogen waste load allocation for the HRSD-York River WWTP to 228,444

2. Nitrogen waste load allocation reductions – HRSD-York River WWTP:

enforceable in the same manner as any other condition of a Virginia Pollutant Discharge Elimination

lbs/year effective January 1, 2026.

System permit.

290	3. James River HRSD SWIFT nutrient upgrades:					
291	Reduce total nitrogen waste load allocations for HRSD treatment works in the James River basin					
292	to the following allocations effective January 1, 2026:					
	a <u>FACILITY NAME</u> <u>TOTAL NITROGEN WASTELOAD</u>					
		ALLOCATION (lbs/year)				
	b HRSD-Army Base WWTP	<u>219,307</u>				
	c <u>HRSD-Boat Harbor STP</u>	<u>304,593</u>				
	d <u>HRSD-James River STP</u>	<u>243,674</u>				
	e <u>HRSD-VIP WWTP</u>	<u>487,348</u>				
	f HRSD-Nansemond STP	<u>365,511</u>				
	g <u>HRSD-Williamsburg STP</u>	<u>274,133</u>				
293	Reduce total phosphorus wa	ste load allocations for HRSD treatment works in the James River				
294	basin to the following allocations effective January 1, 2026:					
	a <u>FACILITY NAME</u>	TOTAL PHOSPHORUS WASTELOAD				
		ALLOCATION (lbs/year)				
	b <u>HRSD-Army Base WWTP</u>	<u>27,413</u>				
	c <u>HRSD-Boat Harbor STP</u>	<u>38,074</u>				
	d <u>HRSD-James River STP</u>	<u>30,459</u>				
	e <u>HRSD-VIP WWTP</u>	<u>60,919</u>				
	f HRSD-Nansemond STP	<u>45,689</u>				
	g <u>HRSD-Williamsburg STP</u>	<u>34,267</u>				
295	Reduce total phosphorus wa	ste load allocations for HRSD treatment works in the James River				
296	basin to the following allocations eff	Sective January 1, 2030:				
	a <u>FACILITY NAME</u>	TOTAL PHOSPHORUS WASTELOAD				
		ALLOCATION (lbs/year)				
	b HRSD-Army Base WWTP	<u>21,931</u>				

DRAFT	OFFERED FOR CONSIDERATION
DNALI	OFFERED FOR CONSIDERATION

2/16/2021 03:22:04 PM

c	HRSD-Boat Harbor STP	<u>30,459</u>
d	HRSD-James River STP	24,367
e	HRSD-VIP WWTP	<u>48,735</u>
f	HRSD-Nansemond STP	36,551
g	HRSD-Williamsburg STP	27,413

297 Reduce total phosphorus waste load allocations for HRSD treatment works in the James River
298 basin to the following allocations effective January 1, 2032:

# a <u>FACILITY NAME</u> <u>TOTAL PHOSPHORUS WASTELOAD</u>

# ALLOCATION (lbs/year)

		-
b	HRSD-Army Base WWTP	<u>16,448</u>
c	HRSD-Boat Harbor STP	<u>22,844</u>
d	HRSD-James River STP	<u>18,276</u>
e	HRSD-VIP WWTP	<u>36,551</u>
f	HRSD-Nansemond STP	<u>27,413</u>
g	HRSD-Williamsburg STP	20,560

Transfer the total nitrogen (454,596 lbs/year) and total phosphorus (41,450 lbs/year) waste load allocations for the HRSD-Chesapeake/Elizabeth STP to the Nutrient Offset Fund effective January 1, 2026.

Transfer the total nitrogen (153,500 lbs/yr) and total phosphorous (17,437 lbs/yr) waste load allocations for the HRSD-J.H. Miles Facility consolidation to HRSD in accordance with the approved registration list December 21, 2015, transfer.

2. That the Enhanced Nutrient Removal Certainty Program as established in subdivisions G 1, 2, and 3 of § 62.1-44.19:14 of the Code of Virginia, as amended by this act, shall be deemed to implement through January 1, 2026, the Commonwealth's Chesapeake Bay Phase III Watershed Implementation Plan in lieu of the floating waste load allocation concept proposed in Initiative 52 of the Commonwealth's Chesapeake Bay Phase III Watershed Implementation Plan. However,

311

312

313

314

315

316

317

318

319

320

321

322

323

324

325

326

327

328

329

330

331

332

333

334

335

336

nothing in this act shall be construed to limit the State Water Control Board's authority to impose (i) additional requirements or modifications to phosphorous waste load allocations necessary to achieve compliance with the numeric chlorophyll-a criteria applicable to the James River; (ii) requirements or modifications to waste load allocations necessary to comply with changes to federal law that become effective after January 1, 2021; or (iii) requirements or modifications to waste load allocations necessary to comply with a court order issued after January 1, 2021. 3. That the State Water Control Board shall modify the Virginia Pollutant Discharge Elimination System (VPDES) permits for the facilities listed in subdivision G 1 of § 62.1-44.19:14 of the Code of Virginia, as amended by this act, to include any requirements and compliance schedules established in this act. 4. That if the Secretary of Natural Resources (the Secretary) determines on or after July 1, 2026, that the Commonwealth has not achieved, or in the event of increased nutrient loads associated with climate change will not be able to maintain, its nitrogen pollution reduction commitments in the Chesapeake Bay Total Maximum Daily Load (TMDL) Phase III Watershed Implementation Plan, the Secretary may develop an additional watershed implementation plan or plans pursuant to § 2.2-218 of the Code of Virginia. Any such plan shall take into consideration the progress made by all point and nonpoint sources toward meeting applicable load and waste load allocations, the best available science and water quality modeling, and any applicable U.S. Environmental Protection Agency guidance for Chesapeake Bay TMDL implementation. In any such plan, the Secretary may include as priority projects upgrades with nutrient removal technology of 4.0 mg/L annual average total nitrogen concentration at municipal wastewater treatment facilities with a design capacity greater than 10.0 MGD discharging to James River Segment JMSTF2 so long as (i) the scheduled date for compliance is January 1, 2036; (ii) notwithstanding the wasteload allocations specified in clause (iii), compliance requires operating the nutrient removal technology to achieve an annual average total nitrogen concentration of less than or equal to 4.0 mg/L or, until such time as the facility is upgraded to achieve such concentration, the option of achieving an equivalent discharged

load based on an annual average total nitrogen concentration of 4.0 mg/L and actual annual flow

treated, including the use of point source nitrogen credits; and (iii) the facilities have and retain the following total nitrogen waste load allocations: Falling Creek WWTP (182,738 lbs/year), Proctors Creek WWTP (411,151 lbs/year and, in the event that Proctors Creek WWTP is expanded in accordance with 9VAC25-40-70 and Falling Creek WWTP is upgraded to achieve 4.0 mg/L, 493,391 lbs/year), and Henrico County WWTP (1,142,085 lbs/year). If the Secretary opts to include such facilities in the plan, the State Water Control Board shall include the foregoing concentrations limits, waste load allocations, and schedules for compliance in the Water Quality Management Planning Regulation, the Watershed General Virginia Pollutant Discharge Elimination System permit, and individual VPDES permits, as applicable.

#